



**Timesaver Lapping Compound - Green Label for Hard Metals  
(55N; 77N; 111N; 333N)**

SDS Preparation Date (mm/dd/yyyy): 08/21/2015

Page 1 of 11

## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION

**Product identifier used on the label**

: **Timesaver Lapping Compound - Green Label for Hard Metals  
(55N; 77N; 111N; 333N)**

**Product Code(s)** : 55N; 77N; 111N; 333N

**Recommended use of the chemical and restrictions on use**

: Obtaining precision finishes on machined components.  
Use pattern: professional use; Consumers.  
No restrictions on use known.

**Chemical family** : Mixture of: Crystalline silica, quartz; Inorganic substances in powdered form; Sodium salts

**Name, address, and telephone number of the manufacturer:**

**Micro Surface Corporation**  
270 Hillsdale Avenue  
San Jose, CA, U.S.A. 95136  
Website: [http://www.microsurfacecorp.com/general\\_inquiry.php](http://www.microsurfacecorp.com/general_inquiry.php)

**Name, address, and telephone number of the supplier:**

Refer to manufacturer

Manufacturer's Telephone # : (408) 723-0700

**24 Hr. Emergency Tel #** : (408) 723-0700

### SECTION 2. HAZARDS IDENTIFICATION

**Classification of the chemical**

Powder - green. Odorless.

*Most important hazards:*

Irritating to eyes. Contains material which can cause lung damage. Cancer hazard. Occupational exposure to the substance or mixture may cause adverse effects. For further information, please refer to section 11 of the SDS.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:

Eye damage/irritation - Category 2B

Carcinogenicity - Category 1

Specific target organ toxicity, repeated exposure - Category 1

**Label elements**

*Hazard pictogram(s)*



*Signal Word*

DANGER!

*Hazard statement(s)*

Causes eye irritation.

May cause cancer.

Causes damage to organs through prolonged or repeated exposure.



**Timesaver Lapping Compound - Green Label for Hard Metals  
(55N; 77N; 111N; 333N)**

SDS Preparation Date (mm/dd/yyyy): 08/21/2015

Page 2 of 11

## SAFETY DATA SHEET

### Precautionary statement(s)

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dust.  
Wash hands and face thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves/clothing and eye/face protection.

If exposed or concerned: Get medical advice/attention.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local regulation.

### Other hazards

Other hazards which do not result in classification:  
Toxic fumes may be released during a fire. Dusts may cause irritation of the mucous membranes and respiratory tract. May cause gastrointestinal irritation.

Environmental precautions:  
Avoid release to the environment. See Section 12 for more environmental information.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| <u>Chemical name</u>           | <u>Common name and synonyms</u>               | <u>CAS #</u> | <u>Concentration</u> |
|--------------------------------|---|--------------|----------------------|
| Crystalline silica, quartz     | Quartz silica<br>Crystallized silicon dioxide | 14808-60-7   | 15.0                 |
| Sodium dodecylbenzenesulfonate | Sodium laurylbenzenesulfonate<br>SDBS         | 25155-30-0   | 2.0 - 2.5            |

## SECTION 4. FIRST-AID MEASURES

### Description of first aid measures

- Ingestion* : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If exposed or concerned: Get medical advice/attention.
- Inhalation* : If breathed in, move person into fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. If exposed or concerned: Get medical advice/attention.
- Skin contact* : Remove contaminated clothing and shoes. Wash off with warm water and soap. If exposed or concerned: Get medical advice/attention.
- Eye contact* : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.



**Timesaver Lapping Compound - Green Label for Hard Metals  
(55N; 77N; 111N; 333N)**

SDS Preparation Date (mm/dd/yyyy): 08/21/2015

Page 3 of 11

## SAFETY DATA SHEET

### Most important symptoms and effects, both acute and delayed

- : Causes eye irritation. May cause redness and pain.  
May cause cancer. Symptoms may include persistent coughing, shortness of breath, coughing up blood and wheezing.
- Causes damage to organs through prolonged or repeated exposure. Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough. Repeated or prolonged inhalation of fine dusts may cause severe scarring of the lungs, a disease called silicosis, and alveolar proteinosis (lower lung disease). Symptoms may include coughing, shortness of breath and eventually severe respiratory impairment.
- Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Indication of any immediate medical attention and special treatment needed

- : Provide general supportive measures and treat symptomatically.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing media

#### *Suitable extinguishing media*

- : Carbon dioxide (CO<sub>2</sub>); Alcohol resistant foam; Dry chemical; Water.

#### *Unsuitable extinguishing media*

- : None known.

### Special hazards arising from the substance or mixture / Conditions of flammability

- : Not considered flammable. Toxic fumes may be released during a fire. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

### Flammability classification (OSHA 29 CFR 1910.106)

- : Not considered flammable.

### Hazardous combustion products

- : Sulfur oxides; Carbon oxides; Sodium oxides; Hydrogen sulfide

### Special protective equipment and precautions for firefighters

#### *Protective equipment for fire-fighters*

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.  
Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### *Special fire-fighting procedures*

- : Fight fire with normal precautions from a reasonable distance. Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

- : All persons dealing with the clean-up should wear the appropriate personal protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

### Environmental precautions

- : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

### Methods and material for containment and cleaning up

- : Remove all sources of ignition. Ventilate the area. Prevent further leakage or spillage if safe to do so. Clean up promptly by scoop or vacuum. Avoid dust formation. Use approved industrial vacuum cleaner for removal. Contact the proper local authorities. Refer to Section 13 for disposal of contaminated material.



**Timesaver Lapping Compound - Green Label for Hard Metals  
 (55N; 77N; 111N; 333N)**

SDS Preparation Date (mm/dd/yyyy): 08/21/2015

Page 4 of 11

**SAFETY DATA SHEET**

**Special spill response procedures**

- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).  
 US CERCLA Reportable quantity (RQ): Sodium dodecylbenzenesulfonate (1000 lbs / 454 kg)

**SECTION 7. HANDLING AND STORAGE**

**Precautions for safe handling**

- : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.  
 Use personal protective equipment as required. Wear eye/face protection. Use only in well-ventilated areas. Do not breathe dust. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Avoid contact with incompatible materials. Avoid and control operations which create dust. Keep containers tightly closed when not in use. Wash thoroughly after handling.

**Conditions for safe storage**

- : Store in cool/well-ventilated place. Inspect periodically for damage or leaks. Keep in a dry place. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel.

**Incompatible materials**

- : Strong oxidizing agents; Acids.

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

| <b>Exposure Limits:</b>        |   |             |  |             |
|--------------------------------|---|-------------|--|-------------|
| <b>Chemical Name</b>           | <b>ACGIH TLV</b>                        |             | <b>OSHA PEL</b>  |             |
|                                | <b>TWA</b>                              | <b>STEL</b> | <b>PEL</b>   | <b>STEL</b> |
| Crystalline silica, quartz     | 0.025 mg/m <sup>3</sup><br>(respirable) | N/Av        | 0.1 mg/m <sup>3</sup><br>(respirable) (final rule limit) | N/Av        |
| Sodium dodecylbenzenesulfonate | N/Av                                    | N/Av        | N/Av   | N/Av        |

**Exposure controls**

**Ventilation and engineering measures**

- : Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.  
 In case of insufficient ventilation wear suitable respiratory equipment.

**Respiratory protection**

- : Where occupational exposure limits are exceeded, workers must wear a suitable, approved respirator with a N95 or HEPA filter. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. Advice should be sought from respiratory protection specialists.

**Skin protection**

- : Gloves impervious to the material are recommended. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

**Eye / face protection**

- : Wear eye/face protection. Wear as appropriate: Tightly fitting safety goggles.

**Other protective equipment**

- : Ensure that eyewash stations and safety showers are close to the workstation location.



**Timesaver Lapping Compound - Green Label for Hard Metals  
(55N; 77N; 111N; 333N)**

SDS Preparation Date (mm/dd/yyyy): 08/21/2015

Page 5 of 11

## SAFETY DATA SHEET

### General hygiene considerations

- : Do not breathe dust. Avoid contact with skin, eyes and clothing. Remove soiled clothing and wash it thoroughly before reuse. Wash hands and face before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Handle in accordance with good industrial hygiene and safety practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : Powder - green
- Odor** : Odorless
- Odor threshold** : N/Av
- pH** : N/Av
- Melting/Freezing point** : N/Av
- Initial boiling point and boiling range** : N/Av
- Flash point** : None.
- Flashpoint (Method)** : N/Av
- Evaporation rate (BuAe = 1)** : N/Av
- Flammability (solid, gas)** : Not considered flammable.
- Lower flammable limit (% by vol.)** : N/Av
- Upper flammable limit (% by vol.)** : N/Av
- Oxidizing properties** : None known.
- Explosive properties** : Not explosive
- Vapor pressure** : N/Av
- Vapor density** : N/Av
- Relative density / Specific gravity** : 2.3 [Quartz silica]
- Solubility in water** : Insoluble
- Other solubility(ies)** : N/Av
- Partition coefficient: n-octanol/water or Coefficient of water/oil distribution** : N/Av
- Auto-ignition temperature** : N/Av
- Decomposition temperature** : N/Av
- Viscosity** : N/Av
- Volatiles (% by weight)** : 0%
- Volatile organic Compounds (VOC's)** : N/Av
- Absolute pressure of container** : N/Av
- Flame projection length** : N/Av
- Other physical/chemical comments** : No additional information.

### SECTION 10. STABILITY AND REACTIVITY

- Reactivity** : Not normally reactive.
- Chemical stability** : Stable under normal conditions.
- Possibility of hazardous reactions** : Hazardous polymerization does not occur.



**Timesaver Lapping Compound - Green Label for Hard Metals  
(55N; 77N; 111N; 333N)**

SDS Preparation Date (mm/dd/yyyy): 08/21/2015

Page 6 of 11

## SAFETY DATA SHEET

- Conditions to avoid** : Do not use in areas without adequate ventilation. Direct sources of heat. Avoid contact with incompatible materials.
- Incompatible materials** : Strong oxidizing agents; Acids.
- Hazardous decomposition products**  
: None known, refer to hazardous combustion products in Section 5.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

- Routes of entry inhalation** : YES
- Routes of entry skin & eye** : YES
- Routes of entry Ingestion** : YES
- Routes of exposure skin absorption**  
: NO

#### Potential Health Effects:

##### Signs and symptoms of short-term (acute) exposure

###### *Sign and symptoms Inhalation*

- : May cause irritation to the nose, throat and upper respiratory tract. Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

###### *Sign and symptoms ingestion*

- : Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

###### *Sign and symptoms skin*

- : Direct skin contact may cause slight or mild, transient irritation. Direct skin contact may cause temporary redness.

###### *Sign and symptoms eyes*

- : May cause redness and pain. Causes eye irritation.

##### Potential Chronic Health Effects

- : Prolonged inhalation may cause adverse lung effects with symptoms including coughing, mucous production and difficulty breathing.

##### Mutagenicity

- : No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

##### Carcinogenicity

- : This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:  
Carcinogenicity - Category 1. May cause cancer.  
Contains crystalline silica. Crystalline silica is classified as carcinogenic by IARC (Group 1), the ACGIH (Category A2) and the NTP (Group 1 - Known human carcinogen).

##### Reproductive effects & Teratogenicity

- : This product is not expected to cause reproductive or developmental effects.

##### Sensitization to material

- : Not expected to be a skin or respiratory sensitizer.

##### Specific target organ effects

- : This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:  
Specific target organ toxicity, repeated exposure - Category 1. Causes damage to organs through prolonged or repeated exposure.  
Contains: Crystalline silica, quartz. Repeated or prolonged inhalation of fine dusts may cause severe scarring of the lungs, a disease called silicosis, and alveolar proteinosis (lower lung disease). Symptoms may include coughing, shortness of breath and eventually severe respiratory impairment.



**Timesaver Lapping Compound - Green Label for Hard Metals  
 (55N; 77N; 111N; 333N)**

SDS Preparation Date (mm/dd/yyyy): 08/21/2015

Page 7 of 11

**SAFETY DATA SHEET**

**Medical conditions aggravated by overexposure**

: Pre-existing skin, eye and respiratory disorders.

**Synergistic materials**

: None known or reported by the manufacturer.

**Toxicological data**

: Not classified for acute toxicity based on available data. The calculated ATE values for this mixture are:

ATE oral = 43 200 mg/kg

See below for individual ingredient acute toxicity data.

| <u>Chemical name</u>           | <u>LC<sub>50</sub>(4hr)</u><br><u>inh, rat</u> | <u>LD<sub>50</sub></u> |                             |
|--------------------------------|--|------------------------|-----------------------------|
|                                |  | <u>(Oral, rat)</u>     | <u>(Rabbit, dermal)</u>     |
| Crystalline silica, quartz     | N/Av   | N/Av                   | N/Av                        |
| Sodium dodecylbenzenesulfonate | N/Av   | 1080 - 1980 mg/kg      | > 2000 mg/kg (No mortality) |

**Other important toxicological hazards**

: None known.

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

: The ecological characteristics of this product have not been fully investigated. There is no data available for this product. The following ingredient(s) may be harmful to aquatic life: Sodium dodecylbenzenesulfonate.

See the following tables for individual ingredient ecotoxicity data.

**Ecotoxicity data:**

| <u>Ingredients</u>             | <u>CAS No</u> | <u>Toxicity to Fish</u>   |  |                 |
|--------------------------------|---------------|---------------------------|--|-----------------|
|                                |               | <u>LC50 / 96h</u>         | <u>NOEC / 21 day</u>                   | <u>M Factor</u> |
| Crystalline silica, quartz     | 14808-60-7    | N/Av                      | N/Av                                   | None.           |
| Sodium dodecylbenzenesulfonate | 25155-30-0    | 3.2 mg/L (Fathead minnow) | 3.965 - 9.198 mg/L (30 days)<br>(QSAR) | None.           |

| <u>Ingredients</u>             | <u>CAS No</u> | <u>Toxicity to Daphnia</u> |                      |                 |
|--------------------------------|---------------|----------------------------|----------------------|-----------------|
|                                |               | <u>EC50 / 48h</u>          | <u>NOEC / 21 day</u> | <u>M Factor</u> |
| Crystalline silica, quartz     | 14808-60-7    | N/Av                       | N/Av                 | None.           |
| Sodium dodecylbenzenesulfonate | 25155-30-0    | 4.8 mg/L (Daphnia magna)   | 1.65 mg/L            | None.           |

| <u>Ingredients</u>             | <u>CAS No</u> | <u>Toxicity to Algae</u>     |                             |                 |
|--------------------------------|---------------|------------------------------|-----------------------------|-----------------|
|                                |               | <u>EC50 / 96h or 72h</u>     | <u>NOEC / 96h or 72h</u>    | <u>M Factor</u> |
| Crystalline silica, quartz     | 14808-60-7    | N/Av                         | N/Av                        | None.           |
| Sodium dodecylbenzenesulfonate | 25155-30-0    | 65.4 mg/L/72hr (Green algae) | 7.9 mg/L/72hr (Read-across) | None.           |



**Timesaver Lapping Compound - Green Label for Hard Metals  
 (55N; 77N; 111N; 333N)**

SDS Preparation Date (mm/dd/yyyy): 08/21/2015

Page 8 of 11

**SAFETY DATA SHEET**

**Persistence and degradability**

: The product itself has not been tested.  
 The following ingredients are considered to be readily biodegradable: Sodium dodecylbenzenesulfonate.

**Bioaccumulation potential**

: The product itself has not been tested. See the following data for ingredient information.

| <u>Components</u>                                  | <u>Partition coefficient n-octanol/water (log Kow)</u> | <u>Bioconcentration factor (BCF)</u> |
|--|--|--------------------------------------|
| Sodium dodecylbenzenesulfonate<br>(CAS 25155-30-0) | 1.96   | 130 (Golden orfe)                    |

**Mobility in soil**

: The product itself has not been tested.

**Other Adverse Environmental effects**

: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Handling for Disposal**

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

**Methods of Disposal**

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

**RCRA**

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

**SECTION 14. TRANSPORTATION INFORMATION**

| <b>Regulatory Information</b>           | <b>UN Number</b> | <b>UN proper shipping name</b> | <b>Transport hazard class(es)</b> | <b>Packing Group</b> | <b>Label</b> |
|---|------------------|--------------------------------|-----------------------------------|----------------------|--------------|
| 49CFR/DOT                               | None.            | Not regulated.                 | Not regulated                     | None                 |              |
| <b>49CFR/DOT Additional information</b> | None.            |                                |                                   |                      |              |
| TDG                                     | None.            | Not regulated.                 | Not regulated                     | None                 |              |
| <b>TDG Additional information</b>       | None.            |                                |                                   |                      |              |

**Special precautions for user**

: Keep away from heat and sources of ignition. Appropriate advice on safety must accompany the package.

**Environmental hazards**

: This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See Section 12 for more environmental information.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

: No information available.





**Timesaver Lapping Compound - Green Label for Hard Metals  
 (55N; 77N; 111N; 333N)**

SDS Preparation Date (mm/dd/yyyy): 08/21/2015

**SAFETY DATA SHEET**

**SECTION 15 - REGULATORY INFORMATION**

**US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

| <u>Ingredients</u>             | CAS #      | TSCA Inventory | CERCLA Reportable Quantity(RQ) (40 CFR 117.302): | SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355: | SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical |                          |
|--------------------------------|------------|----------------|--|--|---|--------------------------|
|                                |            |                |  |  | Toxic Chemical  | de minimus Concentration |
| Crystalline silica, quartz     | 14808-60-7 | Yes            | None.  | None.  | No  | N/Ap                     |
| Sodium dodecylbenzenesulfonate | 25155-30-0 | Yes            | 1000 lb/ 454 kg                                  | None.  | No  | N/Ap                     |

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) health hazard; Chronic Health Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

**US State Right to Know Laws:**

The following chemicals are specifically listed by individual States:

| <u>Ingredients</u>             | CAS #      | California Proposition 65 |                  | State "Right to Know" Lists |     |     |     |     |     |
|--------------------------------|------------|---------------------------|------------------|-----------------------------|-----|-----|-----|-----|-----|
|                                |            | Listed                    | Type of Toxicity | CA                          | MA  | MN  | NJ  | PA  | RI  |
| Crystalline silica, quartz     | 14808-60-7 | Yes                       | Cancer           | No                          | Yes | Yes | Yes | Yes | Yes |
| Sodium dodecylbenzenesulfonate | 25155-30-0 | No                        | N/Ap             | Yes                         | Yes | No  | Yes | Yes | No  |

**Canadian Information:**

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Canadian National Pollutant Release Inventory (NPRI): This product does not contain any substances listed on the NPRI.

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

**International Information:**

Components listed below are present on the following International Inventory list:

| <u>Ingredients</u>             | CAS #      | European EINECS | Australia AICS | Philippines PICCS | Japan ENCS                   | Korea KECI/KECL | China IECSC | NewZealand IOC |
|--------------------------------|------------|-----------------|----------------|-------------------|------------------------------|-----------------|-------------|----------------|
| Crystalline silica, quartz     | 14808-60-7 | 238-878-4       | Present        | Present           | (1)-548                      | KE-29983        | Present     | HSR003125      |
| Sodium dodecylbenzenesulfonate | 25155-30-0 | 246-680-4       | Present        | Present           | (3)-1949; (3)-1906; (3)-1884 | KE-12954        | Present     | HSR003161      |



**Timesaver Lapping Compound - Green Label for Hard Metals  
(55N; 77N; 111N; 333N)**

SDS Preparation Date (mm/dd/yyyy): 08/21/2015

Page 10 of 11

## SAFETY DATA SHEET

### SECTION 16. OTHER INFORMATION

**Legend**

- : ACGIH: American Conference of Governmental Industrial Hygienists
- AICS: Australian Inventory of Chemical Substances
- ATE: Acute Toxicity Estimate
- CA: California
- CAS: Chemical Abstract Services
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
- CFR: Code of Federal Regulations
- CSA: Canadian Standards Association
- DOT: Department of Transportation
- EC50: Effective Concentration 50%.
- EINECS: European Inventory of Existing Commercial chemical Substances
- ENCS: Existing and New Chemical Substances
- EPA: Environmental Protection Agency
- HSDB: Hazardous Substances Data Bank
- IARC: International Agency for Research on Cancer
- IBC: Intermediate Bulk Container
- IECSC: Inventory of Existing Chemical Substances
- IMDG: International Maritime Dangerous Goods
- IOC: Inventory of Chemicals
- KECI: Korean Existing Chemicals Inventory
- KECL: Korean Existing Chemicals List
- LC: Lethal Concentration
- LD: Lethal Dose
- MA: Massachusetts
- MN: Minnesota
- N/Ap: Not Applicable
- N/Av: Not Available
- NJ: New Jersey
- NOEC: No observable effect concentration
- NTP: National Toxicology Program
- OECD: Organisation for Economic Co-operation and Development
- OSHA: Occupational Safety and Health Administration
- PA: Pennsylvania
- PEL: Permissible exposure limit
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- RCRA: Resource Conservation and Recovery Act
- RI: Rhode Island
- RTECS: Registry of Toxic Effects of Chemical Substances
- SARA: Superfund Amendments and Reauthorization Act
- SCBA: Self-Contained Breathing Apparatus
- SDS: Safety Data Sheet
- STEL: Short Term Exposure Limit
- TDG: Canadian Transportation of Dangerous Goods Act & Regulations
- TLV: Threshold Limit Values
- TSCA: Toxic Substance Control Act
- TWA: Time Weighted Average
- WHMIS: Workplace Hazardous Materials Identification System

**References**

- : 1. Material Safety Data Sheet from manufacturer.
- 2. International Agency for Research on Cancer Monographs, searched 2015.
- 3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb Databases, 2015 (Chempendium, HSDB, RTECs).
- 4. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015
- 5. Human and Environmental Risk Assessment on Ingredients of Household Cleaning Products (HERA); Linear Alkylbenzene Sulphonate (LAS); April 2013.



Micro Surface Corporation  
 270 Hillsdale Avenue  
 San Jose, CA, U.S.A.  
 95136  
 Telephone: (408) 723-0700

**Timesaver Lapping Compound - Green Label for Hard Metals  
 (55N; 77N; 111N; 333N)**

SDS Preparation Date (mm/dd/yyyy): 08/21/2015

Page 11 of 11

**SAFETY DATA SHEET**

Preparation Date (mm/dd/yyyy)

: 08/21/2015

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

|   |   |
|---|---|
| <p><b>Prepared for:</b><br/>         Micro Surface Corporation<br/>         270 Hillsdale Avenue<br/>         San Jose, CA, U.S.A.<br/>         95136<br/>         Telephone: (408) 723-0700<br/>         Please direct all enquiries to Micro Surface Corporation.</p> |  |
| <p><b>Prepared by:</b><br/>         ICC The Compliance Center Inc.<br/>         Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada)<br/> <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>                                  |   |

**DISCLAIMER**

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Micro Surface Corporation and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Micro Surface Corporation expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Micro Surface Corporation.

**END OF DOCUMENT**